Fig. 1 Prior Art



Fig. 2


private key
certifi-cate
information signed with the private key
electronic information
electronic information managementmean
electronic wallet

Fig. 3


private key
certifi-cate
variable information signed with the private key
electronic information
electronic information managementmean
electronic wallet

JP01/09850 02.8.01

Fig. 4



Fig. 5



Fig. 6


service server
electronic value server
information server
settlement server
106
103
102
104
114
111
110
112
Internet
100
113
108
115
service terminal
mobile user terminal
user terminal
109
105
101
107

09/831830

EP 1 215 850 A1 20020619

Fig. 7



Fig. 8



09/853830

TOTE80"0E8TE860

Fig. 9



09/831830

Fig. 10


(a)
My Menu
1 Internet
2 E-Wallet
3 E-Mail
4 Phone
5 Address Book
6 Bookmark
7 Setup
back
P
ok
502
502
501
200
(b)
Internet
1 News
2 Play Guide
3 Search
4 Enter URL
back
P
ok
(c)
Internet Secure
Ticket Order Form
Ticket:Soccer 200X
Japan vs Brazil
Date:Jun 30 2002 14:00
Stwdium:Yokohama
Seat Grade:SS
Price:200.00USD
Number:
back
P
ok
(a)
E-Wallet
Enter Password
back
P
ok
(b)
E-Wallet Secure
E-Value Receipt
1 Prepayed Card-A
2 Prepayed Card-B
3 Airline Ticket
4 Movie Ticket
5 Concert Ticket
6 Soccer 200X Japa
7 Soccer 200X Japa
back
P
ok
(c)
E-Wallet Secure
Soccer 200X
Japan vs Brazil
Data:2002/06/30 14:00
Stadium:Yokohama
Seat: ss-A-28
back
P
ok
(a)
Internet Secure
Your oder was
accepted.
Receive e-Value
back
P
ok

Fig. 11


113
wireless modem
601
computer
IR adapter
109
602
600

Fig. 12


115
modem
702
Smart Card reader/writer
computer
701
700

Fig. 13


800
value property descriptor
808
service control "ServiceCtrl"
804
security information "SecurityInf"
805
representation control "RepresetationCtrl"
806
representation resource "RepresetationRes"
presentation card "PresentationCard"
801
variable property "VariableProperty"
802

Fig. 14


900
value property descriptor "evProperty"
903
service control "ServiceCtrl"
904
security information "SecurityInf"
905
merchant option "MerchantOption"

JC13 Rec'd PCT/PTO 3 MAY 2001

JP03/08850 03.8.4

Fig. 15



Fig. 16


(a)
Presentation 1003
header
Code number
header
request number
presentation card
service control message
eletronic value signature
eletronic value certificate
1117 1118 1110 1111 1112 1113 1114 1115 1116
(b)
Instruction 1004
header
header
request number
settle-ment number
service control message
merchant signature
merchant certificate
session key A
1128 1120 1121 1122 1123 1124 1125 1126 1127
(c)
Transaction 1005
header
header
request number
settle-ment number
merchant ID
service control message
electronic value signature
session key B
1138 1130 1131 1132 1133 1134 1135 1136 1137
(d)
Receipt 1006
header
header
request number
settle-ment number
electronic value ID
service control message
receipt information
merchant signature
1148 1140 1141 1142 1143 1144 1145 1146 1147
(e)
Acknowledge 1007
header
electronic value signature
1150 1151

Fig. 17


<EVML version="0.1">
<Description about="wallet:///EValue/ev00000033">
<SignedDescription about="PresentationCard" evID="10000000000000000000000000000001">
:
<Signer rdf:resource="http://www.evalue.com"/>
<Signature>0123456789</Signature>
</SignedDescription>
801 presentation card
<SignedDescription about="VriableProperty" evID="10000000000000000000000000000001">
:
<Signer rdf:resource="http://www.evalue.com/evalue/10000000000000000000000000000001"/>
<Signature>123456789A</Signature>
</SignedDescription>
802 variable property
<SignedDescription>
<Description about="ServiceCtrl" evID="10000000000000000000000000000001">
:
</Description>
803 service control
<Description about="SecurityInf" evID="10000000000000000000000000000001">
:
</Description>
804 security information
<Description about="RepresentaionCtrl" evID="10000000000000000000000000000001"
rdf:resource="http://www.evalue.com/evalue/ev_0000300000000201/RpCtrl "/>
805 presentation control
<Description about="RepresentaionRes" evID="10000000000000000000000000000001"
rdf:resource="http://www.evalue.com/evalue/ev_0000300000000201/RpRes"/>
806 presentation resource
<SignedTime>1999.09.07T12:15:07+0900</SignedTime>
<Signer rdf:resource="http://www.evalue.com"/>
<Signature>23456789AB</Signature>
</SignedDescription>
<SignedDescription about="http://www.evalue.com/evalue/ev_0000300000000201/RpCtrl"
evID="10000000000000000000000000000001">
:
<Signer rdf:resource="http://www.evalue.com"/>
<Signature>3456789ABC</Signature>
</SignedDescription>
1201 presentation control (entity)
< Description about="http://www.evalue.com/evalue/ev_0000300000000201/RpRes"
evID="10000000000000000000000000000001">
:
</Description>
1202 presentation resource (entity)
<Description about="http://www.evalue.com">
<EntityName>Mobile Ticket Service</EntityName>
<EntityID>00000000000000000000000000000001</EntityID>
<Email>ev_issuer@evalue.com</Email>
<Telnum>81-3-5460-xxxx</Telnum>
</Description>
1200 description about service provider
</Description>
</EVML>

Fig. 18

```
<SignedDescription about="PresentationCard" evID="10000000000000000000000000000001">
    <evType>ticket</evType>
    <evCode>0000300000000201</evCode>
    <evID>10000000000000000000000000000001</evID>
    <evName>Soccer 200X Ticket</evName>
    <evConditionBitmap>0000000000000001</evConditionBitmap>
    <evProp name="TITLE" value="Soccer 200X Japan vs Brazil"/>
    <evProp name="DATE" value="2002.06.30T14:00+0900"/>
    <evProp name="GATE_OPEN" value="2002.06.30T10:00+0900"/>
    <evProp name="LOCATION_NAME" value="Yokohama"/>
    <evProp name="LOCATION_URI" value="http://www.yis.co.jp/map"/>
    <evProp name="SEAT_NUM" value="SS-A-28"/>
    <evProp name="SEAT_POS" value="http://www.mts.com/ticket123/seat/SS-A-28"/>
    <evProp name="SPONSOR_NAME" value="WORLD FOOTBALL ASSOCIATION"/>
    <evProp name="SPONSOR_URI" value="http://www.wfa.org"/>
    <evProp name="CONTACT_TELNUM" value="+81-3-5460-xxxx"/>
    <evProp name="CONTACT_URI" value="http://www.mts.com/contact"/>
    <evProp name="ISSUER_NAME" value="Mobile Ticket Service"/>
    <evProp name="ISSUER_URI" value="http://www.mts.com"/>
    <evProp name="MESSAGE_1" value="No Dangerous  Objects"/>
    <SignedTime>1999.09.07T12:15:07+0900</SignedTime>
    <Signer rdf.resource="http://www.evalue.com"/>
    <Signature>0123456789</Signature>
</SignedDescription>

<SignedDescription about="VriableProperty" evID="10000000000000000000000000000001">
    <evFlag VALIDITY=1 USED=0/>
    <evProp name="USE_SERIAL" value=0/>
    <evProp name="NUMBER" value=1/>
    <evProp name="START_VALID" value="1999.07.23T00:00+0900"/>
    <evProp name="END_VALID" value="2002.06.30T23:59+0900"/>
    <evProp name="MESSAGE_2" value=/>
    <SignedTime>1999.09.07T12:15:07+0900</SignedTime>
    <Signer rdf.resource="http://www.evalue.com/evalue/10000000000000000000000000000001"/>
    <Signature>123456789A</Signature>
</SignedDescription>
```

Fig. 19

```
<Description about="ServiceCtrl" evID="10000000000000000000000000000001">
   <SC-module type="ticket" ID=1 number=$NUMBER start=$START_VALID end=$END_VALID
      used_flag=$USED validity_flag=$VALIDITY serial=$USE_SERIAL/>
   <SC-module type="verify_prop" ID=2 prop=$SEAT_NUM/>
   <SC-module type="set_message" ID=3 msg=$MESSAGE_2/>
</Description>

<Description about="SecurityInf" evID="10000000000000000000000000000001">
   <evOwner>
      <Description about="http://www.evalue.com/user/11000000000000000000000000000001"
         EntityName="Taro Suzuki"
         EntityID="11000000000000000000000000000001"/>
   </evOwner>
   <evResource>http://www.evalue.com/evalue/10000000000000000000000000000001</evResource>
   <evCertificate>
      0123456789ABCDEF0123456789ABCDEF0123456789ABCDEF0123456789ABCDEF
   </evCertificate>
   <evPrivateKey>0123456789</evPrivateKey>
   <evAuthKey>0123456789ABCDEF</evAuthKey>
   <evhandlerAuthKey>ABCDEF0123456789</evhandlerAuthKey>
</Description>
```

Fig. 20

```
<SignedDescription about="http://www.evalue.com/evalue/ev_0000300000000201/RpCtrl"
    evID="10000000000000000000000000000001">
    <OptimumRpCtrl>
        <Description about="http://www.evalue.com/evalue/ev_0000300000000201/RpCtrl_M01">
            < RpType>MOBILE 01</RpType>
            < RepresentaionCtrlData>
                <CARD name="Main">
                    <HAEAD>
                        <TITLE><evP>$TITLE</evP></TITLE>
                    </HAEAD>
                    <BODY>
                    <Do type="ACCEPT">
                        <Go HREF='wallet:///evTransact'/>
                    </Do>
                    <CENTER><H1><evP>$TITLE</evP></H1></CENTER>
                    <BR><CENTER><IMG SRC="wallet:///evResource label=MAIN_IMG"></CENTER>
                    <BR><UL>Date:<evP>$DATE</evP>
                    <BR>Stadium:<A HREF=<evP>$LOCATION_URI</evP>><evP>$LOCATION_NAME</evP></A>
                    <BR>Seat:<A HREF=<evP>$SEAT_POS</evP>><evP>$SEAT_NUM</evP></A>
                    <BR><A HREF="Detail">Details</A></UL>
                    </BODY>
                </CARD>
                <CARD name="Detail">
                    <HAEAD>
                        <TITLE><evP>$TITLE</evP></TITLE>
                    </HAEAD>
                    <BODY>
                    <Do type="ACCEPT">
                        <Go HREF='wallet:///evTransact'/>
                    </Do>
                    <CENTER><H1><evP>$TITLE</evP></H1></CENTER>
                    <BR><UL>Date:<evP>$DATE</evP>
                    <BR>Open Gate:<evP>$GATE_OPEN</evP>
                    <BR>Stadium:<A HREF=<evP>$LOCATION_URI</evP>><evP>$LOCATION_NAME</evP></A>
                        <BR><A HREF='wallet:///evResource label=MAP">Map</A>
                    <BR>Seat:<A HREF=<evP>$SEAT_POS</evP>><evP>$SEAT_NUM</evP></A>
                    <BR>Term of Validity: <evV>$START_VALID</evV> - <evV>$END_VALID</evV>
                    <BR>Sponsor:<A HREF=<evP>$SPONSOR_URI</evP>><evP>$SPONSOR_NAME</evP></A>
                    <BR>Contact:<A HREF="telephone:///dial num=<evP>$CONTACT_TELNUM</evP>">
                        <evP>$CONTACT_TELNUM</evP></A>
                    <BR>Issuer:<A HREF=<evP>$ISSUER_URI</evP>><evP>$ISSUER_NAME</evP></A>
                    <BR><evP>$MESSAGE_1</evP>
                    <BR><evV>$MESSAGE_2</evV>
                    <BR><A HREF="Main">Top Page</A></UL>
                    </BODY>
                </CARD>
            </RpresentaionCtrlData>
        </Description>
    </OptimumRpCtrl>
    <SignedTime>1999.09.07T12:15:07+0900</SignedTime>
    <Signer rdf:resource="http://www.evalue.com"/>
    <Signature>3456789ABC</Signature>
</SignedDescription>
```

Fig. 21

```
< Description about="http://www.evalue.com/evalue/ev_0000300000000201/RpRes"
    evID="10000000000000000000000000000001">
    <OptimumRpRes>
        <Image>
            URI="http://www.evalue.com/resources/0123456789ABCDEF"
            label="MAIN_IMG"
            type="jpeg"
            data="1202A846574A63D946 ..... B48364605987F687543"
        </Image>
        <Image>
            URI="http://www.evalue.com/resources/123456789ABCDEF0"
            label="MAP"
            type="jpeg"
            data="202A846574A63D946B ..... 48364605987F687543F"
        </Image>
        <Sound>
            URI="http://www.evalue.com/resources/23456789ABCDEF01"
            label="Greet"
            type="mp3"
            data="1202A846574A63D946 ..... B48364605987F687543"
        </Sound>
    </OptimumRpRes>
</Description>
```

2003 MAY 2

Fig. 22

EP 0 930 580 A2

```
<EVML version="0.1">
  <CARD name="Main">
    <HAEAD>
      <TITLE>Soccer 200X Japan vs Brazil </TITLE>
    </HAEAD>
    <BODY>
      <Do type="ACCEPT">
        <Go HREF="wallet:///evTransact"/>
      </Do>
      <CENTER><H1>Soccer 200X Japan vs Brazil </H1></CENTER>
      <BR><CENTER><IMG SRC="wallet:///evResource label=MAIN_IMG"></CENTER>
      <BR><UL>Date: 2002.06.30T14:00+0900
      <BR>Stadium:<A HREF="http://www.yis.co.jp/map"> Yokohama </A>
      <BR>Seat:<A HREF="http://www.mts.com/ticket123/seat/SS-A-28"> SS-A-28</A>
      <BR><A HREF="Detail">Details</A></UL>
    </BODY>
  </CARD>
</EVML>
```

Fig. 23

```
<EVML version="0.1">
  <Description about="evMerchant:///evHandler/evh00000001">
    <SignedDescription>
      <Description about="evProperty" evhandlerID="20000000000000000000000000000001">
        <evType>ticket</evType>
        <evCode>0000300000000201</evCode>
        <evhandlerID>20000000000000000000000000000001</evhandlerID>
        <evName>Soccer 200X Ticket</evName>
        <evConditionBitmap>0000000000000001</evConditionBitmap>
        <evProp name="TITLE" value="Soccer 200X Japan vs Brazil"/>
        <evProp name="DATE" value="2002.06.30T14:00+0900"/>
        <evProp name="GATE_OPEN" value="2002.06.30T10:00+0900"/>
        <evProp name="LOCATION_NAME" value="Yokohama"/>
        <evProp name="LOCATION_URI" value="http://www.yis.co.jp/map"/>
        <evProp name="SEAT_NUM" value= permission="public"/>
                                    :
        <evProp name="MESSAGE_2" value= permission="public"/>
      </Description>
      <Description about="ServiceCtrl" evhandlerID="20000000000000000000000000000001">
        <SC-module type="ticket" ID=1 number=$NUMBER start=$START_VALID end=$END_VALID
          used_flag=$USED validity_flag=$VALIDITY serial=$USE_SERIAL/>
        <SC-module type="verify_prop" ID=2 prop=$SEAT_NUM/>
        <SC-module type="set_message" ID=3 msg=$MESSAGE_2/>
      </Description>
      <Description about="SecurityInf" evhandlerID="20000000000000000000000000000001">
        <evhandlerOwner>
          <Description about="http://www.evalue.com/merchant/21000000000000000000000000000001"
            EntityName="ABC Event Service"
            EntityID="21000000000000000000000000000001"/>
        </evhandlerOwner>
        <evResource>http://www.evalue.com/evhandler/20000000000000000000000000000001
        </evResource>
        <evAuthKey>0123456789ABCDEF</evAuthKey>
        <evhandlerAuthKey>ABCDEF0123456789</evhandlerAuthKey>
      </Description>
      <SignedTime>1999.09.07T12:15:07+0900</SignedTime>
      <Signer>
        <Description about="http://www.evalue.com">
          <EntityName>Mobile Ticket Service</EntityName>
          <EntityID>00000000000000000000000000000001</EntityID>
          <Email>ev_issuer@evalue.com</Email>
          <Telnum>81-3-5460-xxxx</Telnum>
        </Description>
      </Signer>
      <Signature>23456789AB</Signature>
    </SignedDescription>
    <Description about="MerchantOption" evhandlerID="20000000000000000000000000000001">
      <SetevProp>$SEAT_NUM="SS-*-*"</SetevProp>
      <SetevProp>$MESSAGE_2="Special News available: http://www.yis.co.jp/news/20020630"
      </SetevProp>
    </Description>
  </Description>
</EVML>
```

900 value property descriptor

903 service control

904 security information

905 merchant option

1 3 MAY 2001

Fig. 24

(a)

```
<SC-MSG>
  <scm_msg ID=1 number=1 start="1999.07.23T00:00+0900" end="2002.06.30T23:59+0900"
     used_flag=0 validity_flag=1 serial=0/>
  <scm_msg ID=2 prop="SS-A-28"/>
  <scm_msg ID=3 msg=/>
</SC-MSG>
```

(b)

```
<SC-MSG>
  <scm_msg ID=1 number=0 start="2002.06.30T12:25+0900" end="2002.06.30T23:59+0900"
     used_flag=1 validity_flag=1 serial=1/>
  <scm_msg ID=3 msg="Special News available: http://www.yis.co.jp/news/20020630"/>
</SC-MSG>
```

(c)

```
<SC-MSG>
  <scm_msg ID=1 number=0 start="2002.06.30T12:25+0900" end="2002.06.30T23:59+0900"
     used_flag=1 validity_flag=1 serial=1/>
  <scm_msg ID=2 prop="SS-A-28"/>
  <scm_msg ID=3 msg="Special News available: http://www.yis.co.jp/news/20020630"//>
</SC-MSG>
```

(d)

```
<SC-MSG>
     <scm_msg ID=1 serial=1/>
</SC-MSG>
```

2001 MAY 15

Fig. 25

FOREIGN DOCUMENT

```
<SignedDescription about="VriableProperty" evID="10000000000000000000000000000001">
    <evFlag VALIDITY=1 USED=1/>
    <evProp name="USE_SERIAL" value=1/>
    <evProp name="NUMBER" value=0/>
    <evProp name="START_VALID" value="2002.06.30T12:25+0900"/>
    <evProp name="END_VALID" value="2002.06.30T23:59+0900"/>
    <evProp name="MESSAGE_2" value="Special News available: http://www.yis.co.jp/news/20020630"/>
    <SignedTime>2002.06.30T12:25+0900</SignedTime>
    <Signer rdf.resource="http://www.evalue.com/evalue/10000000000000000000000000000001"/>
    <Signature>A12345678A</Signature>
</SignedDescription>
```

Fig. 26

```
<EVML version="0.1">
  <CARD name="Receive EV ">
    <HAEAD>
      <TITLE>Receive Electronic Value</TITLE>
    </HAEAD>
    <BODY>
      Your order was accepted.
      <BR>
      <CENTER>
      <H1>
        <Go HREF='wallet:///evReceive'>
          <param name="EV_ISSUER_URI"   value="http://www.evalue.com"/>
          <param name="SESSION_NUM"   value="a01b23c45d67e89f"/>
          Receive e-Value
        </Go>
      </H1>
      </CENTER>
    </BODY>
  </CARD>
</EVML>
```

Fig. 27


2201
electronic value manager
electronic value template database
2202
electronic value database
2203
user database
2204

Fig. 28


electronic value template 2301
presentation control information A
presentation control information B
presentation control information C
presentation control list 2302
presentation control generation rules 2303
image A
image B
voice A
voice B
presentation resource list 2302
presentation resource generation rules 2305
electronic value template data 2300

Fig. 29

(a)


mobile user terminal 101
user terminal 107
information server 102
electronic value server 103
purchase order
request for issuing an electronic value 2402
session number 2403
display data upon the electronic value reception 2404
issuing request 2405
terminal profile request 2406
terminal profile 2407
electronic value 2408

(b)


mobile user terminal 101
user terminal 107
electronic value server 103
presentation control request 2411
terminal profile request 2412
terminal profile 2413
presentation control 2414
presentation resource request 2415
presentation resource 2416

Fig. 30

(a)

```
<Description about="evIssuingRequest" ID="1000000000000123">
    <evType>ticket<evType>
    <evCode>0000300000000201</evCode>
    <evProp name="SEAT_NUM" value=" SS-A-28"/>
    <evProp name=" SEAT_POS" value=" http://www.mts.com/ticket123/seat/SS-A-28"/>
</Description>
```

(b)

```
<Description about='TerminalProfile" >
    <TerminalType>MT0001</TerminalType>
    <BrowserType>B000B20A</BrowserType>
    <eWalletType>W000A10B</eWalletType>
    <Screen>160x200x8</Screen>
</Description>
```

EP 3 850 563 B1

Fig. 31



Fig. 32


<EVML version="0.1">
<Description about="http://www.evalue.com/evalue/10000000000000000000000000000001">
<SignedDescription about="PresentationCard" evID="10000000000000000000000000000001">
:
<Signer rdf:resource="http://www.evalue.com"/>
<Signature>0123456789</Signature>
</SignedDescription>
801 presentation card
<SignedDescription about="ViriableProperty" evID="10000000000000000000000000000001">
:
<Signer rdf:resource="http://www.evalue.com/evalue/10000000000000000000000000000001"/>
<Signature>123456789A</Signature>
</SignedDescription>
802 variable property
<SignedDescription>
<Description about="ServiceCtrl" evID="10000000000000000000000000000001">
:
</Description>
803 service control
<Description about="SecurityInf" evID="10000000000000000000000000000001">
:
</Description>
804 security information
<Description about="RepresentaionCtrl" evID="10000000000000000000000000000001"
rdf:resource="http://www.evalue.com/evalue/ev_0000300000000201/RpCtrl"/>
805 presentation control
<Description about="RepresentaionRes" evID="10000000000000000000000000000001"
rdf:resource="http://www.evalue.com/evalue/ev_0000300000000201/RpRes"/>
806 presentation resource
<SignedTime>1999.09.07T12:15:07+0900</SignedTime>
<Signer rdf:resource="http://www.evalue.com"/>
<Signature>23456789AB</Signature>
</SignedDescription>
<SignedDescription about="http://www.evalue.com/evalue/ev_0000300000000201/RpCtrl"
evID="10000000000000000000000000000001">
:
<Signer rdf:resource="http://www.evalue.com"/>
<Signature>3456789ABC</Signature>
</SignedDescription>
1201 presentation control (entity)
< Description about="http://www.evalue.com/evalue/ev_0000300000000201/RpRes"
evID="10000000000000000000000000000001">
:
</Description>
1202 presentation resource (entity)
<Description about="http://www.evalue.com">
<EntityName>Mobile Ticket Service</EntityName>
<EntityID>00000000000000000000000000000001</EntityID>
<Email>ev_issuer@evalue.com</Email>
<Telnum>81-3-5460-xxxx</Telnum>
</Description>
1200 description about service provider
</Description>
</EVML>

EP 1 280 050 A1

Fig. 33



Fig. 34



09/831830

Fig. 35


113
wireless modem
601
IR adapter
602
computer
Bluetooth adapter
3000
600

Fig. 36


(a) mobile user terminal
start
receiving an initiation message (reception of the device address and session number of the service terminal in Bluetooth IR communication)
3101
searching the service terminal from within the Bluetooth device list
3102
requesting Bluetooth authentication to the service terminal found
3103
authenticating the service terminal in the Bluetooth
3104
establishing a session with the service terminal in the Bluetooth
3105
matching the session number
3106
exchanging five messages for transaction settlement processing in the Bluetooth
3107
terminating the session with the service terminal in the Bluetooth
3108
end
(b) service terminal
start
sending an initiation message (transmission of the device address and session number of the service terminal in Bluetooth IR communication)
3109
receiving an authentication request of the Bluetooth from a mobile user terminal
3110
authenticating the mobile user terminal in the Bluetooth
3111
establishing a session with the mobile user terminal in the Bluetooth
3112
matching the session number
3113
exchanging five messages for transaction settlement processing in the Bluetooth
3114
terminating the session with the mobile user terminal in the Bluetooth
3115
end

Fig. 37


(a) mobile user terminal
start
sending an initiation message (transmission of the device address and session number of the mobile user terminal in Bluetooth IR communication)
3109
receiving an authentication request of the Bluetooth from a service terminal
3110
authenticating the service terminal in the Bluetooth
3111
establishing a session with the service terminal in the Bluetooth
3112
matching the session number
3113
exchanging five messages for transaction settlement processing in the Bluetooth
3114
terminating the session with the service terminal in the Bluetooth
3115
end
(b) service terminal
start
sending an initiation message (transmission of the device address and session number of the mobile user terminal in Bluetooth IR communication)
3101
searching the mobile user terminal from within the Bluetooth device list
3102
requesting Bluetooth authentication to the mobile user terminal found
3103
authenticating the mobile user terminal in the Bluetooth
3104
establishing a session with the mobile user terminal in the Bluetooth
3105
matching the session number
3106
exchanging five messages for transaction settlement processing in the Bluetooth
3107
terminating the session with the mobile user terminal in the Bluetooth
3108
end